

-  COURSES
-  WHY TOR VERGATA
-  PROSPECTIVE STUDENTS
-  STUDENTS
-  PHD
-  PLACEMENT
-  STUDENT SERVICES
-  STUDENT SOCIETY
-  LIBRARY
-  DELTA
-  SERVICES
-  ONLINE STORE
-  WORK



ABOUT

ACADEMICS

RESEARCH

THIRD MISSION

ADMINISTRATION

INTERNATIONAL

CAMPUS LIFE

COURSES

WHY TOR VERGATA

PROSPECTIVE STUDENTS

STUDENTS

PHD

PLACEMENT

ST

ST

L

DELP

SERVICES

ONLINE STORE

WORK



TOR VERGATA  
UNIVERSITÀ DEGLI STUDI DI ROMA



ITA | ENG



ABOUT

ACADEMICS

RESEARCH

THIRD MISSION

ADMINISTRATION

INTERNATIONAL

CAMPUS LIFE



## Personal introduction

Projects

Research objectives

What has been done

What will be done

Publications

---

### Training

graduated with a bachelor's degree in *Building Engineering* in 2021

---

graduated with a master's in *Engineering and Construction Techniques* in 2023.

---

### PhD

since November 2023, I have been a PhD student in Civil Engineering with a focus on Architectural Engineering

---

### Research interests

multidisciplinary approach

---

digital processes for the management and valorisation of building heritage

---

### Research context

what: light and heavy prefabrication systems

---

when: Late 20th Century

---

where: in Italy

---

how: knowledge, digitalisation, valorisation, reuse

## Ongoing Research Projects




The screenshot shows the website for the CA-LA project. At the top left is the logo for 'CA-LA industrializzazione edilizia calabria-lazio ventesimo secolo'. The navigation menu includes 'Home', 'Chi Siamo', 'Progetto', 'Repertorio', 'Contatti', and a search bar. Below the navigation are logos for 'Finanziato dall'Unione europea NextGenerationEU', 'Ministero dell'Università e della Ricerca', 'Italiadomani', 'UNIVERSITÀ DELLA CALABRIA', and 'TOR VERGATA'. The main content area features a map of Italy with Calabria and Lazio highlighted in teal. To the right of the map is the project logo 'CA-LA industrializzazione edilizia nel XX secolo' and two buttons: 'scegli la regione' and 'maggiori informazioni'. A QR code is located in the bottom left corner of the main content area.

PRIN 2022

*Light prefabrication: knowledge, monitoring and requalification of the architectural heritage of the second half of the twentieth century in the regions of Calabria and Lazio*

## Ongoing Research Projects



**Upcycling Architecture in Italy**

About Map News Events Publications Videos

Filters ● Events ● Research Units ● Network ● Case Studies ● Publications 43 items

**Event**  
**Upcycling Architecture International Conference**  
Politecnico di Torino, Castello del Valentino, Turin Thursday, 30th October 2025

**Case Study**  
**Renovation of the Atrium Houses in Albertslund South**  
The renovation of the Atrium Houses in Albertslund focuses on sustainability, waste reduction, and DfD, offering personalized solutions

**Case Study**  
**ELEMENTA project**  
A new residential complex built using prefabricated components recovered from the demolition of a parking lot.

**Case Study**  
**Social Housing 2104**  
On-site urban mining: demolition waste from a former school reused to build structural lime-based cyclopean concrete blocks

**Case Study**  
**Villa Welpeloo**  
Villa Welpeloo uses locally sourced, reused materials, carefully selected for their availability and potential

PRIN 2022 PNRR funded by European Union – Next Generation EU  
*Upcycling Architecture in Italy. Forging and Promoting a Renewed Building Culture*

## Main goal

- Develop novel path for the actual management and maintenance of prefabricated building heritage (according to the circular economy and heritage preservation);
- Promote disassembly and reuse within heritage preservation and adaptive reuse strategies;

## Tools

- BIM-GIS platform for the documentation of the prefabricated building of the late 20<sup>th</sup> Century;
- BIM-based approach to support the evaluation of the potential disassembly and re-use of the building components;

## Method

### Phase 1

- Data-mining about main construction systems catalogue of existing buildings at a Regional scale webGIS platform to collect and organize data;

### Phase 2

- BIM-based analyses of selected case study assessment of the potential disassembly.

### Phase 3 (ongoing)

- Integration of LCA to develop a decisional framework by comparing multiple scenarios.

Department of Civil Engineering (DICII),  
Via del Politecnico, 1, 00178, Rome

Personal introduction

Projects

Research objectives

What has been done

What will be done

Publications

Cristian Tolù



# WebGIS to document the prefabricated building stock



Bibliographic sources



Archival sources



Linked documents

Department of Civil Engineering (DICII),  
Via del Politecnico, 1, 00178, Rome

Personal introduction

Projects

Research objectives


**What has been done**

What will be done

Publications

Cristian Tolù

# WebGIS to document the prefabricated building stock



Department of Civil Engineering (DICII),  
Via del Politecnico, 1, 00178, Rome

Personal introduction

Projects


Research objectives

What has been done

What will be done

Publications

# WebGIS to document the prefabricated building stock



Edilizia Industrializzata nella Regione Lazio — Elementi Totali: 101, Filtrati:...

ID	Anno	Tipologia	Sistema	Stato	Link
2	RM_06 RM_02	1964 ISTRUZIONE	PREFABBRICAZIONE LEGGERA	IN USO	CAUsers\cr...
3	FR_01	1973 TERZIARIO	PREFABBRICAZIONE LEGGERA	IN USO	CAUsers\cr...
4	RM_11	1962 TERZIARIO	PREFABBRICAZIONE LEGGERA	IN USO	CAUsers\cr...

Mostra Tutti gli Elementi

**SCHEDA TECNICA EDIFICIO**  
"Edilizia industrializzata nella regione Lazio"

**Codice scheda:** RM\_06

**Edificio:** Istituto Tecnico Leonardo da Vinci

**Località:** Via Ippolito Nievo 16, 00199, Tor di St. Eustachio

**Anno:** 1964

**Progettista:** Arch. Paolo Sestini

**Ingegnere:** Ottaviano Sp.A.

**Costruttore:** Cimener di Tor di St. Eustachio

**Tipologia edilizia (Esistente):** Istruzione

**Sistema costruttivo (Esistente):** Prefabbricazione leggera con strutture portanti in acciaio e isolamento in polistirolo di alta densità in sandwich per pareti edifici. Involucro della struttura è anche costituito da collegi in travetti prefabbricati e pannelli isolanti, in questo l'isolamento è fornito integralmente alla consegna e realizzato in campo sul sito in riferimento ai particolari in disegno e particolari tecnici.




**Descrizione:** L'edificio ospita una biblioteca completa che esemplifica l'uso delle nuove tecnologie per la scuola. I collegi prefabbricati sono composti da travi, pilastri, solette, solette, con i pannelli isolanti e l'isolamento in polistirolo di alta densità. Un arco centrale collega i collegi tra di loro.

**Completato:** opera e tecnica dell'edificio e costruzione dell'edificio in prefabbricazione con strutture di acciaio in campo, con isolamento integralmente prefabbricato. Il sistema costruttivo è stato documentato nel disegno di tipo tecnico, con foto, disegni e particolari di dettaglio di tipo tecnico, con foto, disegni e particolari di dettaglio.

Education - Light prefabrication


## BIM-based analyses of a case study

The **construction of the BIM** exploiting philological approach → the model to collect and organise the historical and technical data framework derived from the analyses of the original design documents




## BIM-based analyses of a case study

The **update of the BIM** exploiting onsite survey → the model has been update to the actual state exploiting on-site survey



# BIM-based analyses of a case study


The **use of the BIM** as an **analytical tool** to assess the potential disassembly → for each building component, a set of disassembly parameters is conceived (according to DfD ISO 20887:2020)




# BIM-based analyses of a case study

The use of the BIM as tool for design future scenarios

## ECONOMIC AND FINANCIAL IMPACTS



Representation of tCO2eq emissions, in accordance with the Greenhouse Gas Protocol (GHG). The purple color indicates the emitted CO2eq, while the blue color represents the avoided CO2eq.





Representation of disposal costs associated with each construction element. Red indicates incurred costs, while green represents avoided costs.

# BIM-based analyses of a case study

The use of the BIM as tool for design future scenarios

## CONSTRUCTION SITE



Personal introduction

Projects

Research objectives

**What has been done**



What will be done

Publications

# BIM-based analyses of a case study

The use of the BIM as tool for design future scenarios



## DISASSEMBLY PROCESS





# BIM-based analyses of a case study

The use of the BIM as tool for design future scenarios


## POSSIBLE RE-ASSEMBLY (RE-USE)



# Integration of BIM results in the webGIS platform



**SHAPEFILE UPDATED**



Personal introduction

Projects


Research objectives

**What has been done**

What will be done

Publications

# LCA-BIM based approach – Reuse Scenarios




3D-01 LCA-17-materials X


<LCA-17-materials>

A	B	C	D	E	F
Family	Type	Number	Material: Name	Material: Area (m²)	Material: Volume (m³)
Cast-In-Place Stair	Monolithic stair	5	Concrete	274,8173	18,2308
Floor	ARC-SLAB-FINISHING FLOOR	3	Concrete	1889,5596	56,6875
Floor	ARC-SLAB-FINISHING ROOF-	6	Concrete	2934,4163	88,0325
Floor	ARC-SLAB-FLOOR-200 mm	2	Concrete	3009,4525	496,5597
Foundation Slab	15 cm	2	Concrete	7,3350	1,1003
Monolithic Run	Structural deep 120 mm	5	Concrete	274,8173	18,2308
STR-BEAM-RECT-CONCRETE	15x30 cm	9	Concrete	7,9268	0,3558
STR-BEAM-RECT-CONCRETE	25x60 cm	6	Concrete	29,5300	2,0256
STR-BEAM-RECT-CONCRETE	35x35 cm	194	Concrete	970,6933	80,5675
STR-BEAM-RECT-CONCRETE	35x65 cm	47	Concrete	661,8352	67,3057
STR-FOUND-COLUMN-CONCRETE	35x35x30 cm	6	Concrete	3,9900	0,2205
STR-FOUND-COLUMN-CONCRETE	35x35x42 cm	21	Concrete	17,4930	1,0805
STR-FOUND-COLUMN-CONCRETE	35x35x100 cm	12	Concrete	19,7400	1,4700
STR-FOUND-COLUMN-CONCRETE	35x35x130 cm	6	Concrete	12,3900	0,9555
STR-FOUND-COLUMN-CONCRETE	35x35x168 cm	16	Concrete	41,5520	3,2928
STR-FOUND-COLUMN-CONCRETE	35x35x190 cm	10	Concrete	29,0500	2,3275
STR-FOUND-COLUMN-CONCRETE	35x35x198 cm	8	Concrete	24,1360	1,9404
STR-FOUND-COLUMN-CONCRETE	35x35x220 cm	2	Concrete	6,6500	0,5390
STR-FOUND-COLUMN-CONCRETE	35x35x278 cm	12	Concrete	49,6440	4,0866
STR-FOUND-COLUMN-CONCRETE	35x35x308 cm	8	Concrete	36,4560	3,0184
STR-FOUND-COLUMN-CONCRETE	35x35x398 cm	18	Concrete	104,7060	8,7759
STR-FOUND-COLUMN-CONCRETE	35x35x410 cm	8	Concrete	47,8800	4,0180
STR-FOUND-COLUMN-CONCRETE	35x35x440 cm	2	Concrete	12,8100	1,0780
STR-PLINTH-CONCRETE	Type A	62	Concrete	396,7558	34,8502
STR-PLINTH-CONCRETE	Type B	136	Concrete	1257,9031	129,4856
STR-PLINTH-CONCRETE	Type D	1	Concrete	20,7993	2,7221
STR-PLINTH-CONCRETE-E_F	Type E	3	Concrete	118,7957	16,9806
STR-PLINTH-CONCRETE-E_F	Type F	21	Concrete	593,0101	74,1762
STR-PLINTH-STAIRS-CONCRETE	Type stairs	2	Concrete	68,5600	8,2320
Concrete: 651				13258,1711	1178,6660

# LCA-BIM based approach – Reuse Scenarios




3,91E+00	A	B	C
Aluminum	6,95E-01	0,00E+00	1,96E-03
Bitumen	3,54E-03	0,00E+00	7,88E-05
Concrete	1,02E+00	0,00E+00	1,26E-01
Glass	3,22E-01	2,94E-03	7,11E-03
Granito	1,72E-02	0,00E+00	2,26E-03
Plaster	2,56E-01	0,00E+00	-1,15E-02
Plasterboard	1,86E-02	0,00E+00	9,51E-03
Plastic	1,24E-03	0,00E+00	3,75E-06
Polystyren	3,04E-02	0,00E+00	3,22E-02
PVC	2,38E-02	2,38E-02	1,99E-02
Screed	3,65E-01	0,00E+00	-3,97E-02
Steel	8,64E-01	0,00E+00	1,26E-02
Linoleum	6,02E-03	0,00E+00	6,39E-02
Vermiculite	4,09E-02	0,00E+00	1,22E-03



3,45E+00	A	B	C
Aluminum	5,87E-01	0,00E+00	1,65E-03
Bitumen	0,00E+00	0,00E+00	0,00E+00
Concrete	1,02E+00	0,00E+00	1,26E-01
Glass	3,22E-01	2,94E-03	7,11E-03
Granito	0,00E+00	0,00E+00	0,00E+00
Plaster	0,00E+00	0,00E+00	0,00E+00
Plasterboard	1,86E-02	0,00E+00	9,51E-03
Plastic	1,24E-03	0,00E+00	3,75E-06
Polystyren	0,00E+00	0,00E+00	0,00E+00
PVC	2,38E-02	2,38E-02	1,99E-02
Screed	3,65E-01	0,00E+00	-3,97E-02
Steel	8,64E-01	0,00E+00	1,26E-02
Linoleum	6,02E-03	0,00E+00	6,39E-02
Vermiculite	4,09E-02	0,00E+00	1,22E-03

## Next points

- Compare different reuse scenarios in order to define a decisional framework and method;



- extend the integration of parameters to include those most relevant to selective deconstruction and Life Cycle Assessment (LCA) into the webGIS platform
- develop an optimized workflow for data exchange and platform integration
- validate the method with other case studies (on going – post offices, more than 1000 in Italy)

# Publications

## ReUSO 2024



XIII ReUSO Edition  
Documentation, Restoration and Reuse of Heritage  
Bologna, Italy  
29-31 October 2024

**Valorizzare il patrimonio della prefabbricazione leggera in Italia: una piattaforma digitale a supporto della "decostruzione selettiva"**

**Enhancing the heritage of light prefabrication in Italy: a digital platform to support "selective dismantling"**

**Cristian Tolù** – Università degli Studi di Roma Tor Vergata, Roma, Italia, e-mail: cristian.tolu@uniroma2.eu  
**Stefania Marzari** – Università degli Studi di Roma Tor Vergata, Roma, Italia, email: marzari@ing.uniroma2.it  
**Iaria Giannetti** – Università degli Studi di Roma Tor Vergata, Roma, Italia, e-mail: iaria.giannetti@uniroma2.it

**Abstract:** This paper focuses on the design and test of an experimental digital platform aimed at managing 20th-century industrialized buildings, especially those featured by the adoption of light prefabrication systems, supporting the innovative approach of "selective dismantling" and the reuse of building components. The platform integrates Geographic Information System (GIS) technology with philological Heritage Building Information Modeling (HBIM) procedures. The prototype is tested on the case study of the industrialized building stock of the Lazio Region in Italy, providing an insight into the full functionalities of industrialized school buildings of the 1960s, featuring load-bearing steel structures and light panels. The study remarks on how the platform effectively organizes and displays the historical-technical data derived from bibliographic analyses, supporting the technically and historically consistent preliminary assessment of the buildings in terms of selective dismantling" and reuse of building components.

**Keywords:** Upcycling, Building Industrialization, BIM, GIS

**1. Introduzione**

In Europa, nella seconda metà del Novecento, la prefabbricazione è lo strumento per affrontare le esigenze di una rapida urbanizzazione, attraverso l'industrializzazione edilizia. Oggi, la maggiore parte degli edifici prefabbricati, costruiti tra il 1950 e il 1980, sebbene all'avanguardia all'epoca [1,2], non è più rispondente alle necessità d'uso: il patrimonio della costruzione industrializzata rappresenta, quindi, un'importante settore per l'applicazione dei processi, innovativi e sperimentali, di riqualificazione del costruito.

Alla luce delle più attuali direttive in materia di sostenibilità ambientale e di economia circolare, i processi di gestione e riqualificazione del costruito comprendono anche le pratiche di "decostruzione selettiva", riuso e riciclo delle componenti edilizie [3,4]: il patrimonio della costruzione industrializzata del secondo Novecento – rispondendo ai criteri di standardizzazione, coordinamento modulare e assemblaggio – si presta particolarmente all'applicazione massiva di tali processi di decostruzione, smontaggio e riuso. In particolare, il segmento della costruzione industrializzata caratterizzata dall'applicazione di tecniche di

## PRIN PNRR 2022



**Design Workshop**  
**Risultati**  
**Results**

a cura di/edited by:  
Alberto Bologna  
Josep Maria Garcia-Fuentes  
Iaria Giannetti  
Gabirole Neri  
coll./with  
Roberto Geronzi

## BSA 2024

**Building Information Modeling (BIM) and Building Energy Modeling (BEM): Interoperability and Interactive Data Representation for the Energy Management of the Existing Buildings**

**Iaria Giannetti** – University of Rome Tor Vergata, Italy – iaria.giannetti@uniroma2.it  
**Cristian Tolù** – University of Rome Tor Vergata, Italy – cristian.tolu@uniroma2.eu  
**Giulia Scimia** – University of Rome Tor Vergata, Italy – giulia.scimia@students.uniroma2.eu  
**Gianluigi Bovesecchi** – University of Rome Tor Vergata, Italy – gianluigi.bovesecchi@uniroma2.it  
**Pier Paolo Valentini** – University of Rome Tor Vergata, Italy – valentini@ing.uniroma2.it  
**Cristina Cornaro** – University of Rome Tor Vergata, Italy – cornaro@uniroma2.it

**Abstract**

The text discusses the potential for energy efficiency improvements in existing buildings, emphasizing the importance of digital modeling and Building Performance Simulation (BPS) methods to achieve Net Zero Energy Building (NZE) standards. The integration of Building Information Modeling (BIM) and Building Energy Modeling (BEM) approaches is highlighted as crucial for enhancing energy efficiency. The proposed workflow involves four steps: i) collection of building data through documental analysis and on-site surveys; ii) the construction of a BIM model and its production in Industry Foundation Classes (IFC) standards, including thermo-physical parameters; iii) the developing the BEM model; iv) the creation of a Virtual Reality (VR) interactive environment. The methodology is tested on an office building at the University of Rome Tor Vergata, built in the 1980s. Key outcomes include verifying data interoperability, optimizing energy simulation processes, and enabling interactive exploration of energy data through VR techniques. This integrated approach reduces errors, time, and costs, while also serving as a decision-making support tool for building managers and an educational tool for energy design awareness. The study presents a suitable workflow for energy building management and lays the groundwork for innovative digital twin development for buildings and structure.

and materials, need to undertake massive assessment of the energetic performances. Looking to Italy, the 75% of residential sector building stock was constructed before the 2000, avoiding detailed consideration about energy consumptions, and only the 2% was built after the 2010, according to recent environmental criteria (Gevegian et al., 2021). The enhancement of the energy performance of this buildings stock – achieving Net Zero Energy Building (NZE) standards (European Commission, 2020) – can significantly contribute to global efforts to mitigate climate change (Fonseca Arenas, 2024). This pursuit represents a significant research endeavor and requires a multidisciplinary approach and a continuous updating of research tools. In particular, the process benefits from the combination of a solid knowledge base of the building, obtained through documental analysis and on-site surveys, with advanced digital modeling, to organize information, to support Building Performance Simulation (BPS), and to facilitate the visualization of data. In this field, one promising approach is the integration of Building Information Modeling (BIM) and Building Energy Modeling (BEM) methodologies (Spiridigliozzi, 2019). By combining these approaches, we can leverage the wealth of building technology data provided by BIM with the detailed energy simulation capabilities of BEM. This integration allows for a holistic assessment of a building's energy performance and facilitates informed decision-making throughout the design,

**1. Introduction**

In Europe, the 20<sup>th</sup> Century existing buildings stock, constructed using industrial-derived techniques